

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office OCT 13 1981 New priority date NOV 26 1984

Returned to applicant for correction.....

Corrected application filed.....

Map filed OCT 13 1981

The applicant Robert W. Nelson and Virginia Nelson

Star Route 5030, of Pahrump
Street and No. or P.O. Box No. City or Town

Nevada 89041, hereby make application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground Source
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.025 C.F.S. (12.5 Feet) second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for Quasi-Municipal Domestic (3 Homes)
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated:.....

(b) Stockwater, state number and kinds of animals to be watered:.....

(c) Other use (describe fully under "No. 12. Remarks") 3 home services

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: SW 1/4 NW 1/4 Sec. 15 Township 20 South
Describe as being within a 40-acre subdivision of public
Range 53 East M.D.M. The W 1/4 corner of said section bears S 40° 13' 12" W
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
A distance of 876.60 Feet.

6. Place of use Within the SW 1/4 NW 1/4 Section 15 Township 20 South, Range 53 East M.D.M.
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

7. Use will begin about January 1 and end about December 31, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 200' of 8" Well Caseing 5 horse pump 200
State manner in which water is to be diverted, i.e. diversion structure, ditches and
Gallon pressure tank 555' 1" plastic water service lines
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$8,000.00

10. Estimated time required to construct works 2 years
If well completed, describe works.
11. Estimated time required to complete the application of water to beneficial use 3 years
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
3 homes to be serviced water (not to exceed 1,971,000 gal. per year)
- By S/Richard L. Hafen
Richard L. Hafen
2383 Gateway Rd.
Las Vegas, Nevada 89110
- Compared bl/bt bt/ja
- Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.025 cubic feet per second, but not to exceed 1.095 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before August 18, 1983

Proof of completion of work shall be filed before September 18, 1983

Application of water to beneficial use shall be made on or before August 18, 1986

Proof of the application of water to beneficial use shall be filed on or before September 18, 1986

Map in support of proof of beneficial use shall be filed on or before _____

Completion of work filed _____ IN TESTIMONY WHEREOF, I PETER G. MORROS,
 State Engineer of Nevada, have hereunto set my hand and the seal of

Proof of beneficial use filed _____ my office, this 18th day of AUGUST,

Cultural map filed _____

Certificate No. _____ Issued _____

218 (Rev.)

A.D. 19 82

[Signature of Peter G. Morros]
 State Engineer

[Signature of Peter G. Morros]
 CANCELLATION RECEIVED 8-15-85
 NOV 20 1986
 BECAUSE OF FAILURE TO COMPLY WITH THE PROVISIONS OF PERMIT
 STATE ENGINEER
[Signature of Peter G. Morros]
 STATE ENGINEER
 CME